

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	IS&R	L1	1	("3236494").PN.	USPAT	2005/02/04 09:58			
2	IS&R	L2	576	(251/129.03).CCLS.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/04 11:50			
3	BRSL	L3	1	1 and (override or override or manual or manually or hand)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/04 10:09			
4	IS&R	L4	1004	((251/30.01) or (251/30.02) or (251/30.03)).CCLS.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/04 12:05			
5	BRSL	L5	270	4 and (override or override or manual or manually or hand)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/04 10:11			
6	BRSL	L6	214	4 and ((override or override or manual or manually or hand) with (valve))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/04 10:37			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
7	BRSL	7	42	2 and (((override or override or bypass) with (manual or manually or hand)) with (valve))	USPAT; EPO; JPO; DERWENT ; IBM_TDB	2005/02/04 11:48			
8	BRSL	8	15	4 and (((override or override or bypass) with (manual or manually or hand)) with (valve))	USPAT; EPO; JPO; DERWENT ; IBM_TDB	2005/02/04 12:06			
9	BRSL	9	12	8 not 7	USPAT; EPO; JPO; DERWENT ; IBM_TDB	2005/02/04 11:51			
10	IS&L R	L1 0	605	(251/14).CCLS.	USPAT; EPO; JPO; DERWENT ; IBM_TDB	2005/02/04 11:50			
11	BRSL	L1 1	42	10 and (((override or override or bypass) with (manual or manually or hand)) with (valve))	USPAT; EPO; JPO; DERWENT ; IBM_TDB	2005/02/04 11:51			
12	BRSL	L1 2	36	11 not (7 or 8)	USPAT; EPO; JPO; DERWENT ; IBM_TDB	2005/02/04 11:58			

	Typ e	L #	Hit s	Search Text	DBs	Time Stamp	Comme nts	Error Defin ition	Err ors
13	BRS	L1 3	873 4	((piston with valve) same ((pilot or servo) with (valve))) same (pressure or pressurize or pressurized or pressurizing or pressurise or pressurised or pressurising) with (piston)	USPAT; EPO; JPO; DERWENT ; IBM_TDB	2005/02/0 4 12:11			
14	IS&R	L1 4	60	((251/30.01) or (251/30.02) or (251/30.03) or (251/129.03) or (251/14)).CCLS.	US- PGPUB	2005/02/0 4 12:05			
15	BRS	L1 5	8	14 and (((override or override or bypass) with (manual or manually or hand)) with (valve))	US- PGPUB	2005/02/0 4 12:11			
16	BRS	L1 6	214	13 and (((override or override or bypass) with (manual or manually or hand)) with (valve))	USPAT; EPO; JPO; DERWENT ; IBM_TDB	2005/02/0 4 12:07			
17	BRS	L1 7	449	((piston with valve) same ((pilot or servo) with (valve))) same (pressure or pressurize or pressurized or pressurizing or pressurise or pressurised or pressurising) with (piston)	US- PGPUB	2005/02/0 4 12:11			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
18	BRS	L1 8	10	17 and (((override or override or bypass) with (manual or manually or hand)) with (valve))	US- PGPUB	2005/02/0 4 12:11			